

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent of:)	
SATOSHI NISHIDA	:	Examiner: Brij B. Shrivastav
	:	
Appln. No.: 10/807,105)	Art Unit: 2859
	:	
Filed: March 24, 2004)	Confirmation No.: 2517
	:	
For: ION CONDUCTIVE ROLLER AND)	
IMAGE FORMING APPARATUS	:	
EMPLOYING ION CONDUCTIVE)	
ROLLER	:	
)	
U.S. Patent No.: 7,187,890 B2	:	
)	
Issued: March 6, 2007	:	November 6, 2007

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

CERTIFICATE OF CORRECTION
UNDER RULE 322

Sir:

It is respectfully requested that a Certificate of Correction be issued by the Patent and Trademark Office due to errors which appear in the printed patent as a result of Patent and Trademark Office mistakes. A Certificate of Correction form is attached.

Patentee's undersigned attorney may be reached in our New York office by telephone at (212) 218-2100. All correspondence should continue to be directed to our address given below.

Respectfully submitted,

/Peter Saxon/
Peter Saxon
Attorney for Patentee
Registration No. 24,947

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3801
Facsimile: (212) 218-2200
1713504v1

Staple
Here
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,187,890 B2

DATED : March 6, 2007

INVENTOR(S) : SATOSHI NISHIDA

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 24

Line 24, "epichlorohydrin-ethylene" should read --epichlorohydrin-ethylene--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3801
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. US 7,187,890 B2

No. of add'l. copies
@ 30¢ per page